



TECHNICAL DATA

GB TURBO SXS 5W-40

APPLICATIONS

GB TURBO SXS 5W-40 is a fully synthetic passenger car oil formulated using the highest quality synthetic base oils and enhanced additive systems for use in both petrol and diesel engines. These include high-performance, turbo-charged passenger cars fitted with advanced computer-controlled multi-valve fuel injection engines.

PERFORMANCE FEATURES

GB TURBO SXS 5W-40 has been developed for high performance passenger cars and offers the following features:

- Improved engine wear protection
- Rust and corrosion protection
- Excellent piston deposit control
- Excellent oxidation stability
- Improved fuel economy
- Exceptional shear stability

PERFORMANCE DETAILS

GB TURBO SXS 5W-40 may be used where the following specifications are required:

ACEA A3/B3/B4	GM-LL-B-025	VW 502/505 00
API SL/CF	MERCEDES BENZ p229.1/229.3	
BMW Longlife 98	PORSCHE	

Cont'd.../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP
Tel: 0191 490 4312
Fax: 0191 477 9544
e-mail: gblsales@gb-lubricants-fuels.co.uk
www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

GB LUBRICANTS

CHARACTERISTICS

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
SAE			5W-40
Appearance	-	-	Clear amber liquid
Density @ 15°C	kg/m ³	IP 160	853
Kinematic Viscosity @ 40°C	cSt	IP 71	78.9
Kinematic Viscosity @ 100°C	cSt	IP 71	13.3
Viscosity Index	-	IP 226	172
Flash Point	°C	IP 34	208

STORAGE AND HANDLING

GB TURBO SXS 5W-40 should be stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

GB TURBO SXS 5W-40 is not classified as hazardous under current UK Health & Safety and Environmental Legislation when used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.